

Introduction to Agent-Based Modeling (Spring 2020)

2.6 Review » Unit 2 Test

Question 1

What is the name of the tab where you document the overall design of your model in NetLogo?

- A. Interface
 - B. Info
 - C. Code
 - D. Document
-

Question 2

What is usually the name of the procedure wrtitten by a user in NetLogo that is used to destroy the current state of the model and start a new one?

- A. Begin
 - B. To
 - C. Setup
 - D. Go
-

Question 3

What interface element creates a Boolean global variable in NetLogo?

- A. chooser
 - B. button
 - C. monitor
 - D. switch
-

Question 4

What is the shortened form of the command that brings turtles into existence?

- A. crt
 - B. create
 - C. crt-turtles
 - D. exist
-

Question 5

Which of the following commands is a legal command in NetLogo after you create a bunch of turtles?

- A. ask one-of links [set pcolor red]
- B. ask one-of turtles [set turtles red]
- C. ask one-of patches [set color red]
- D. ask one-of turtles [set pcolor red]

Question 6

What is the command to start to define a procedure in NetLogo?

- A. setup
 - B. define
 - C. procedure
 - D. to
-

Question 7

Look again at the code for the Heroes and Cowards model that we created in the videos. Which of the following is a potential problem model?

- A. Heroes should be blue and Cowards should be red
 - B. A turtle could potentially pick the same other turtle as both its friend and enemy
 - C. The code is not long enough
 - D. The model does not account for negative x-coordinates
-

Question 8

Open the Follower model in the NetLogo Models Library under the Art section. Play around with the model and look at the Info and C Why does the Heroes and Cowards model sometime exhibit similar behavior?

- A. The following action in the Follower model is similar to the way that Cowards are constantly trying to get behind their friends.
 - B. They both have two types of turtles.
 - C. They both have commands that project points to go to in to a blank space.
 - D. They way Heroes move is very similar to the way all agents move in the Follower model.
-

Question 9

If I set the random number seed in NetLogo to 29 and then ask it for three random numbers between 0 and 10 (exclusive). What three do I always get? (You can open NetLogo and run your own code to answer this question).

- A. 3, 1, 1
 - B. 7, 2, 5
 - C. 3, 0, 6
 - D. 7, 3, 0
-

Question 10

What is pseudocode?

- A. A natural language description of a program meant to convey the conceptual design of the program.
- B. Executable code used to run the model.
- C. Fake code that serves no purpose.
- D. Mistakes in real code.